





SW High-Efficiency End-suction Pump

卧式端吸泵手册

FILIPUSI



卧式端吸泵
Horizontal end suction pump



■ 特性 Features

该系列产品结构设计简洁，机泵采用穿轴式连接，确保了高水泵同心度。机组运行噪音小，稳定可靠，效率高，维护方便，易拆装。定位精确可靠。泵体采用高效能蜗壳形式，法兰按照国标标准尺寸制造；叶轮采用闭式设计，优秀水力模型设计；轴采用加大的穿轴式结构；电机轴承选用NSK或SKF品牌的密封免维护轴承。

This series of products have simple structural design, and the machine and pump are connected through the shaft, which ensures the concentricity of the high water pump. The unit has the advantages of low noise, stability, reliability, high efficiency, convenient maintenance and easy disassembly. Accurate and reliable positioning. The pump body adopts the form of high-efficiency volute, and the flange is manufactured according to the national standard size; Impeller adopts closed design and excellent hydraulic model design; The shaft adopts an enlarged through-shaft structure; The motor bearings are sealed maintenance-free bearings of NSK or SKF brands.

泵体材质:球墨铸铁 抗冻高压

流量:最大流量 5-650m³/h

扬程:最大扬程 5-54m

泵口径:进出水口径 40-300mm

工作压力:标准1.6MPa 可选2.4MPa

高效的水力模型和IE3电机技术确保了运行可靠性和节能性

Pump body material: nodular cast iron antifreeze high-pressure

Flow rate: the maximum flow rate is 5-650m³/h.


Lift: the maximum lift is 5-54m.

Pump diameter: the inlet and outlet diameter is 40-300mm.



Working pressure: standard 1.6MPa, optional 2.4MPa.

Efficient hydraulic model and IE3 motor technology ensure the reliability and energy saving of operation.

性能曲线 Performance curve






SW 50/40 -160性能表		50/40-160 Performance table												2900rpm		
型号	配用电机 功率 (KW)	Q (m³/h)	5	10	15	20	25	30	35	40	45	50				
SW 50/40-120-13/25-1.5/2	1.5	H(m)	21	20	18	16	13	11	8							
SW 50/40-130-19/25-1.5/2	1.5		27	26	24	22	19									
SW 50/40-130-14/35-2.2/2	2.2		27	26	24	22	19	17	14	9	6					
SW 50/40-140-18/35-3/2	3		33	32	30	28	26	23	18	15.5	12					
SW 50/40-150-26/35-4/2	4		39	38	36.5	35	33	30	26	23						
SW 50/40-160-30/40-5.5/2	5.5		44.5	43.5	42.5	41.5	38.5	36.5	33.5	30	26	22.5				





尺寸和质量 Size and quality

型号	功率 (kW)	H	H1	H2	HC1	HC2	BW	BL	BP	BH	OH	UL	FC	DN1	DN2	AC	总重量 (kg)
SW 50/40-120-13/25-1.5/2	1.5	332	332	172	315	50	345	375	50	15	15	555	100	50	40	250	51
SW 50/40-130-19/25-1.5/2	1.5	332	332	172	315	50	345	375	50	15	15	555	100	50	40	250	51
SW 50/40-130-14/35-2.2/2	2.2	332	332	172	315	50	345	400	50	15	15	580	100	50	40	250	55
SW 50/40-140-18/35-3/2	3	342	332	172	315	50	345	525	50	15	15	612	100	50	40	250	62
SW 50/40-150-26/35-4/2	4	360	332	172	315	50	345	425	50	15	15	635	100	50	40	250	69
SW 50/40-160-30/40-5.5/2	5.5	385	332	172	325	50	355	455	50	15	15	700	100	50	40	250	88

性能曲线 Performance curve






SW65/50-125 性能表		65/50-125 Performance table														2900rpm	
型号	配用电机 功率 (KW)	Q (m³/h)	5	10	15	20	25	30	35	40	45	50	55	60	65		
SW65/50-85-10/30-1.5/2	1.5	H(m)	14	13.5	13	12	11	10	8.5	7.5							
SW65/50-95-15/35-2.2/2	2.2		19	18.5	18	17.5	16.5	16	15	14	13						
SW65/50-105-18/40-3/2	3		24.5	24	23.5	23	22	21	19	18	16.5	15.5					
SW65/50-115-23/40-4/2	4		28.5	28	27.5	27	26.5	25	24.5	23	22	20	17.5				
SW65/50-125-31/30-4/2	4		34	33.5	33	32.5	32	31	30								
SW65/50-125-25/55-5.5/2	5.5		34	33.5	33	32.5	32	31	30	28.5	27	26.5	25	23.5	22		





尺寸和质量 Size and quality

型号	功率 (kW)	H	H1	H2	HC1	HC2	BW	BL	BP	BH	OH	UL	FC	DN1	DN2	AC	总重量 (kg)
SW 65/50-85-10/30-1.5/2	1.5	332	342	172	315	50	345	375	50	15	15	555	110	65	50	224	49
SW 65/50-95-15/35-2.2/2	2.2	332	342	172	315	50	345	400	50	15	15	580	110	65	50	224	52
SW 65/50-105-18/40-3/2	3	342	342	172	315	50	345	525	50	15	15	612	110	65	50	224	59
SW 65/50-115-23/40-4/2	4	360	342	172	315	50	345	425	50	15	15	635	110	65	50	224	65
SW 65/50-125-31/30-4/2	4	360	342	172	315	50	345	425	50	15	15	635	110	65	50	224	65
SW 65/50-125-25/55-5.5/2	5.5	385	342	172	325	50	355	455	50	15	15	700	110	65	50	224	81

性能曲线 Performance curve






SW65/50-160 性能表		65/50-160 Performance table																	2900rpm	
型号	配用电机 功率 (KW)	Q (m³/h)	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80		
SW65/50-140-21/60-5.5/2	5.5	H(m)	32.2	32	32.5	32	31.5	31	30	29	27.5	26	24	21	17	15				
SW65/50-150-23/70-7.5/2	7.5			38.5	38.5	38.3	38	37	36.2	36.5	35	33.5	31.5	29	26	23	20	16.5		
SW65/50-160-41/50-7.5/2	7.5			45.5	45.2	46	45.8	45.5	45	44	43	41								
SW65/50-160-33/70-11/2	11			45.5	45.2	46	45.8	45.5	45	44	43	41	38.5	37	35	33	29.5	27		




尺寸和质量 Size and quality

型号	功率 (kW)	H	H1	H2	HC1	HC2	BW	BL	BP	BH	OH	UL	FC	DN1	DN2	AC	总重量 (kg)
SW 65/50-140-21/60-5.5/2	5.5	405	417	192	325	50	355	15	50	15	15	110	110	65	50	282	103
SW 65/50-150-23/70-7.5/2	7.5	405	417	192	325	50	355	15	50	15	15	110	110	65	50	282	109
SW 65/50-160-41/50-7.5/2	7.5	405	417	192	325	50	355	15	50	15	15	110	110	65	50	282	109
SW 65/50-160-33/70-11/2	11	480	445	220	380	50	410	15	50	15	15	110	110	65	50	282	170

性能曲线 Performance curve




SW 80/65-160性能表		80/65-160 Performance table													2900rpm	
型号	配用电机 功率 (KW)	Q (m³/h)	10	20	30	40	50	60	70	80	90	100	110	120		
SW 80/65-130-24/60-5.5/2	5.5	H(m)	32	31	29.5	28	26	24	20							
SW 80/65-140-27/70-7.5/2	7.5		39	38	37	35.5	34	31	27	25						
SW 80/65-150-32/90-11/2	11		47.5	46.5	45.5	43.5	42.5	40	37.5	35	32	28	24.5			
SW 80/65-160-37/100-15/2	15		53	52	51.5	50.5	48.5	47.5	45	42.5	39	37	33.5	28.5		





尺寸和质量 Size and quality

型号	功率 (kW)	H	H1	H2	HC1	HC2	BW	BL	BP	BH	OH	UL	FC	DN1	DN2	AC	总重量 (kg)
SW80/65-130-24/60-5.5/2	5.5	400	417	200	325	50	355	461.5	50	15	15	120	120	80	65	281	110
SW80/65-140-27/70-7.5/2	7.5	400	417	200	325	50	355	461.5	50	15	15	120	120	80	65	281	119
SW80/65-150-32/90-11/2	11	400	445	200	380	50	410	563.5	50	15	15	120	120	80	65	281	182
SW80/65-160-37/100-15/2	15	400	445	200	380	50	410	563.5	50	15	15	120	120	80	65	281	190

性能曲线 Performance curve






SW 80/65-200 性能表		80/65-200 Performance table													2900rpm	
型号	配用电机 功率 (KW)	Q (m³/h)	10	20	30	40	50	60	70	80	90	100	110	120		
SW 80/65-180-41/90- 15/2	15	H(m)	55.5	55	54.5	54	53	50.5	50	45	41	35	30			
SW 80/65-190-60/60- 15/2	15		65	64.5	64	63.5	62.5	60	57.5	55						
SW80/65-190-46/100-18.5/2	18.5		65	64.5	64	63.5	62.5	60	57.5	55	50	46	40	32		
SW80/65-200-63/80-18.5/2	18.5		72.5	72	71.5	71	70	68	67	63						
SW80/65-200-56/100-22/2	22		72.5	72	71.5	71	70	68	67	63	59	56	50	43		



尺寸和质量 Size and quality



型号	功率 (kW)	H	H1	H2	HC1	HC2	BW	BL	BP	BH	OH	UL	FC	DN1	DN2	AC	总重量 (kg)
SW 80/65-180-41/90-15/2	15	460	400	200	380	50	410	560.5	50	15	15	880.5	125	80	65	281	178
SW 80/65-190-60/60-15/2	15	460	400	200	380	50	410	560.5	50	15	15	880.5	125	80	65	281	178
SW80/65-190-46/100-18.5/2	18.5	460	400	200	380	50	410	604.5	50	15	15	925.5	125	80	65	293.5	191
SW80/65-200-63/80-18.5/2	18.5	460	400	200	380	50	410	604.5	50	15	15	925.5	125	80	65	293.5	191
SW80/65-200-56/100-22/2	22	495	420	220	410	50	440	601.5	50	15	15	945.5	125	80	65	293.5	227

性能曲线 Performance curve






SW 100/80-160性能表		100/80-160 Performance table																	2900rpm	
型号	配用电机 功率 (kW)	Q (m³/h)	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170		
SW100/80-120-16/120-7.5/2	7.5	H(m)	29	28.5	28	27	26	24.5	23	22	19.5	17.5	16	14	11					
SW100/80-130-21/140-11/2	11		39	38	37	36	35	33.5	32	30.5	29	27.5	26	24	21	19.5	17	15		
SW100/80-140-28/140-15/2	15		45	45.5	44	42.5	41.5	40.5	39	37.5	36.5	35	33	31.5	28	27	25	23		
SW100/80-150-42/100-15/2	15		50	49	48.5	48	47	46	45.5	44	42									
SW100/80-150-35/140-18.5/2	18.5		50	49	48.5	48	47	46	45.5	44	42	41	39.5	38	35	34	32	29.5		
SW100/80-160-43/120-18.5/2	18.5		54	53	52.5	52	51	50	49	48	47	45	43	41.5						
SW100/80-160-40/140-22/2	22		54	53	52.5	52	51	50	49	48	47	45	43	41.5	40	38	36.5	34		





尺寸和质量 Size and quality

型号	功率 (kW)	H	H1	H2	HC1	HC2	BW	BL	BP	BH	OH	UL	FC	DN1	DN2	AC	总重量 (kg)
SW 100/80-120-16/120-7.5/2	7.5	413	400	200	325	50	355	15	50	15	15	744.5	125	100	80	294	110
SW 100/80-130-21/140-11/2	11	460	400	200	380	50	410	15	50	15	15	892.5	125	100	80	294	176
SW 100/80-140-28/140-15/2	15	460	400	200	380	50	410	15	50	15	15	892.5	125	100	80	294	190
SW 100/80-150-42/100-15/2	15	460	400	200	380	50	410	15	50	15	15	892.5	125	100	80	294	191
SW 100/80-150-35/140-18.5/2	18.5	460	400	200	380	50	410	15	50	15	15	937.5	125	100	80	294	200
SW 100/80-160-43/120-18.5/2	18.5	460	400	200	380	50	410	15	50	15	15	937.5	125	100	80	294	201
SW 100/80-160-40/140-22/2	22	495	420	220	410	50	440	15	50	15	15	957.5	125	100	80	294	265

性能曲线 Performance curve




SW 100/80-190性能表		100/80-190 Performance table																			2900rpm	
型号	配用电机 功率 (KW)	Q (m³/h)	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190		
SW100/80-165-46/90-15/2	15	H(m)	54.5	54	53	51.5	50.5	49.5	48	46	44											
SW100/80-165-38/130-18.5/2	18.5		54.5	54	53	51.5	50.5	49.5	48	46	44	42	40	38	35	32	29.5					
SW100/80-170-51/100-18.5/2	18.5		60.5	60.2	60	59	57	56	54	53	51											
SW100/80-170- 43/140-22/2	22		60.5	60.2	60	59	57	56	54	53	51	50	48	46	43	40	37					
SW100/80-180- 51/160-30/2	30		71.5	71	70.5	71	70	68.5	67	66	64	63	60.5	58.5	56.5	54	51	48	45			
SW100/80-190- 70/120-30/2	30		80	79.8	79.5	79	78	77	76.5	75	73.5	72	70	68.5								
SW100/80-190-59/170-37/2	37		80	79.8	79.5	79	78	77	76.5	75	73.5	72	70	68.5	67	64	61.5	59	56	53		





尺寸和质量 Size and quality

型号	功率 (kW)	H	H1	H2	HC1	HC2	BW	BL	BP	BH	OH	UL	FC	DN1	DN2	AC	总重量 (kg)
SW 100/80-165-46/90-15/2	15	460	400	200	380	50	410	595	50	15	15	895	125	100	80	293.5	191
SW100/80-165-38/130-18.5/2	18.5	460	400	200	380	50	410	639	50	15	15	940	125	100	80	293.5	200
SW100/80-170-51/100-18.5/2	18.5	460	400	200	380	50	410	639	50	15	15	940	125	100	80	293.5	201
SW100/80-170-43/140-22/2	22	495	420	220	410	50	440	636	50	15	15	960	125	100	80	293.5	265
SW100/80-180-51/160-30/2	30	420	490	240	450	50	480	686	50	15	15	1083.5	145	100	80	328	350
SW100/80-190-70/120-30/2	30	420	490	240	450	50	480	686	50	15	15	1083.5	145	100	80	328	350
SW100/80-190-59/170-37/2	37	420	490	240	450	50	480	686	50	15	15	1083.5	145	100	80	328	350

性能曲线 Performance curve






SW 125/100-160性能表		125/100-160 Performance table														2900rpm	
型号	配用电机 功率 (KW)	Q (m³/h)	40	60	80	100	120	140	160	180	200	220	240	260	280		
SW 125/100-120-14/200-11/2	11	H(m)	24.5	23.5	22.5	22	21	20	18.5	17	14	11	8	5			
SW 125/100-130-20/200-15/2	15		30	29.5	28.5	28	27.5	26.5	25	23	20	17.5	15	11.5	6		
SW 125/100-140-23/220-18.5/2	18.5		35	34.5	34	33.5	33	32	30	28	25.5	23	20	17	14		
SW 125/100-150-28/220-22/2	22		39.5	38.5	38	37.5	37	36.5	35	33.5	31.5	28	26	22	18		
SW 125/100-160-40/160-22/2	22		44.5	44	43.5	43	42.5	41.5	40	38							
SW 125/100-160-30/240-30/2	30		44.5	44	43.5	43	42.5	41.5	40	38	36	33	30	27	24.5		



尺寸和质量 Size and quality



型号	功率 (kW)	H	H1	H2	HC1	HC2	BW	BL	BP	BH	OH	UL	FC	DN1	DN2	AC	总重量 (kg)
SW 125/100-120-14/200-11/2	11	400	450	200	380	50	410	15	50	15	15	145	145	125	100	328	186
SW 125/100-130-20/200-15/2	15	400	450	200	380	50	410	15	50	15	15	145	145	125	100	328	198
SW 125/100-140-23/220-18.5/2	18.5	400	450	200	380	50	410	15	50	15	15	145	145	125	100	328	210
SW 125/100-150-28/220-22/2	22	420	470	220	380	50	440	15	50	15	15	145	145	125	100	328	240
SW 125/100-160-40/160-22/2	22	420	470	220	410	50	440	15	50	15	15	145	145	125	100	328	335
SW 125/100-160-30/240-30/2	30	420	490	240	450	50	480	15	50	15	15	145	145	125	100	328	350

性能曲线 Performance curve






sw125/100-180性能表		125/100-180 Performance table													2900rpm	
型号	配用电机 功率 (KW)	Q (m³/h)	40	60	80	100	120	140	160	180	200	220	240	260		
125/100-165-33/180-22/2	22	H(m)	48.5	48	47.5	46	43	40.5	38	33	28	23				
125/100-170-41/200-30/2	30		57.5	57	56.5	56	54.5	52	49	46	41	37	30.5			
125/100-180-60/140-30/2	30		65	64.5	64	63.5	62	60	58							
125/100-180-47/220-37/2	37		65	64.5	64	63.5	62	60	58	55	52	47	42	36		




尺寸和质量 Size and quality

型号	功率 (kW)	H	H1	H2	HC1	HC2	BW	BL	BP	BH	OH	UL	FC	DN1	DN2	AC	总重量 (kg)
SW125/100-165-33/180-22/2	22	515	520	240	380	50	440	656.5	50	15	15	1040.5	180	125	100	348	295
SW125/100-170-41/200-30/2	30	545	520	240	450	50	480	717.5	50	15	15	1133.5	180	125	100	348	359
SW125/100-180-60/140-30/2	30	545	520	240	450	50	480	717.5	50	15	15	1133.5	180	125	100	348	359
SW125/100-180-47/220-37/2	37	545	520	240	450	50	480	717.5	50	15	15	1133.5	180	125	100	348	359

性能曲线 Performance curve






SW 150/125-160性能表		150/125-160 Performance table															2900rpm
型号	配用电机 功率 (KW)	Q (m³/h)	50	75	100	125	150	175	200	225	250	275	300	325	350	375	
SW 150/125-120-12/250-11/2	11	H(m)	23	21.5	20	18.5	17	15.5	14	13	12	10	8	5			
SW 150/125-130-13/300-15/2	15		28	26.5	25	23.5	22	21	19	18	17	15	13	10	8	5	
SW 150/125-140-16/300-18.5/2	18.5		31.5	30	29	27.5	26.5	25	23	22	20	18	16	14	10.5	8	
SW 150/125-150-21/300-22/2	22		38	36.5	36	34	33	31	29.5	27.5	26	24.5	21	18.5	16	13	
SW 150/125-160-29/300-30/2	30		45.5	44	43	41	39.5	38	37	36	34	32	29	26.5	24	20	



尺寸和质量 Size and quality



型号	功率 (kW)	H	H1	H2	HC1	HC2	BW	BL	BP	BH	OH	UL	FC	DN1	DN2	AC	总重量 (kg)
SW 150/125-120-12/250-11/2	11	500	520	240	380	50	410	15	50	15	15	180	180	150	125	348	220
SW 150/125-130-13/300-15/2	15	500	520	240	380	50	410	15	50	15	15	180	180	150	125	348	226
SW 150/125-140-16/300-18.5/2	18.5	500	520	240	380	50	410	15	50	15	15	180	180	150	125	348	238
SW 150/125-150-21/300-22/2	22	515	520	240	380	50	440	15	50	15	15	180	180	150	125	348	295
SW 150/125-160-29/300-30/2	30	545	520	240	450	50	480	15	50	15	15	180	180	150	125	348	359

性能曲线 Performance curve






SW 200/150-250性能表		200/150-250 Performance table																	1450rpm
型号	配用电机 功率 (KW)	Q (m³/h)	50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	
SW 200/150-220-14/225-11/4	11		18.5	18.2	18	17.5	17	16	15	14	13	12							
SW 200/150-230-21/150-11/4	11		23	22.5	22.2	22	21	20											
SW 500/150-230-16/275-15/4	15		23	22.5	22.2	22	21	20	19	17.5	17	16	14						
SW 200/150-240-22/200-15/4	15		26	25.5	25	24.5	24	23	22	21.5									
SW 200/150-240-18/300-18.5/4	18.5		26	25.5	25	24.5	24	23	22	21.5	20	18.5	18	16	14	12			
SW 200/150-250-25/200-18.5/4	18.5		28.2	28	27.5	27.2	27	26	25	24	23								
SW 200/150-250-17/350-22/4	22		28.2	28	27.5	27.2	27	26	25	24	23	22	21	19	17	16	14	12	





尺寸和质量 Size and quality

型号	功率 (kW)	H	H1	H2	HC1	HC2	BW	BL	BP	BH	OH	UL	FC	DN1	DN2	AC	总重量 (kg)
SW 200/150-220-14/225-11/4	11	500	620	245	380	50	410	629.5	50	15	15	983	170	200	150	280	220
SW 200/150-230-21/150-11/4	11	500	620	245	380	50	410	629.5	50	15	15	983	170	200	150	282	220
SW 500/150-230-16/275-15/4	15	550	620	245	500	50	530	673.5	50	15	15	1028	170	200	150	290	329
SW 200/150-240-22/200-15/4	15	550	620	245	500	50	530	673.5	50	15	15	1028	170	200	150	292	329
SW 200/150-240-18/300-18.5/4	18.5	565	620	245	500	50	530	670.5	50	15	15	1048	170	200	150	301	342
SW 200/150-250-25/200-18.5/4	18.5	565	620	245	500	50	530	670.5	50	15	15	1048	170	200	150	302	342
SW 200/150-250-17/350-22/4	22	615	620	245	500	50	530	728.5	50	15	15	1138	170	200	150	332	393

性能曲线 Performance curve




SW 200/150-315性能表		200/150-315 Performance table																			1450rpm
型号	配用电机 功率 (KW)	Q (m³/h)	50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	500	
SW200/150-275-27/150-15/4	15	H(m)	30.5	29.5	28.5	27.5	27	26													
SW200/150-275-23/200-18.5/4	18.5		30.5	29.5	28.5	27	26.5	26	24	23	22	20									
SW200/150-285-28/200-18.5/4	18.5		33.5	33	32	31	30	29	28												
SW200/150-285-25/250-22/4	22		33.5	33	32	31	30	29	28	26.5	25	23	21.5								
SW200/150-295-22/350-30/4	30		38	37	36.5	35.5	34.5	33.5	33	31.5	30	28	26	24	22	19.5	17	14			
SW200/150-305-36/250-30/4	30		43	42.5	42	41	40	39	38	37	36										
SW200/150-305-24/400-37/4	37		43	42.5	42	41	40	39	38	37	36	34.5	33	31	28.5	26	24	21.5			
SW200/150-315-39/275-37/4	37		47	46.5	46	45.5	45	44.5	43.5	42.5	41	39									
SW200/150-315-28/425-45/4	45		47	46.5	46	45.5	45	44.5	43.5	42.5	41	39	38	36	34	33	30.5	28	25.5	19	





尺寸和质量 Size and quality

型号	功率 (kW)	H	H1	H2	HC1	HC2	BW	BL	BP	BH	OH	UL	FC	DN1	DN2	AC	总重量 (kg)
SW 200/150-275-27/150-15/4	15	550	670	290	500	50	530	15	50	15	15	170	170	200	150	498	329
SW 200/150-275-23/200-18.5/4	18.5	565	670	290	500	50	530	15	50	15	15	170	170	200	150	498	342
SW 200/150-285-28/200-18.5/4	18.5	565	670	290	500	50	530	15	50	15	15	170	170	200	150	498	342
SW 200/150-285-25/250-22/4	22	615	670	290	500	50	530	15	50	15	15	170	170	200	150	498	393
SW 200/150-295-22/350-30/4	30	595	670	290	420	50	450	15	50	15	15	170	170	200	150	498	450
SW 200/150-305-36/250-30/4	30	595	670	290	420	50	450	15	50	15	15	170	170	200	150	498	460
SW 200/150-305-24/400-37/4	37	625	670	290	420	50	450	15	50	15	15	170	170	200	150	498	482
SW 200/150-315-39/275-37/4	37	625	670	290	420	50	450	15	50	15	15	170	170	200	150	498	482
SW 200/150-315-28/425-45/4	45	625	670	290	420	50	450	15	50	15	15	170	170	200	150	498	535

性能曲线 Performance curve



SW 200/150-400 性能表		150/400 Performance table																			1450rpm
型号	配用电机 功率 (KW)	Q (m³/h)	50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	500	
SW200/150-360-41/200-30/4	30	H(m)	47.5	47	46	45	43.5	42.5	41												
SW200/150-360-36/275-37/4	37		47.5	47	46	45	43.5	42.5	41	40	38.5	36	34								
SW200/150-370-44/250-37/4	37		51	50.5	50	50	49	47.5	46.5	45	44.5										
SW200/150-370-38/325-45/4	45		51	50.5	50	50	49	47.5	46.5	45	44.5	41.5	40	38	35						
SW200/150-380-51/250-45/4	45		60	59.5	59	58	57	55	53.5	52	51										
SW200/150-380-43/350-55/4	55		60	59.5	59	58	57	55	53.5	52	51	49.5	48	46	43	40					
SW200/150-390-61/250-55/4	55		69.5	69	68.5	68	67.5	67	65	63	61										
SW200/150-390-48/425-75/4	75		69.5	69	68.5	68	67.5	67	65	63	61	60	58.5	57	54.5	52	50	48	44.5		
SW200/150-400-68/300-75/4	75		78	77.5	77	76.5	76	75	73	72	70.5	69.5	68	65							
SW200/150-400-58/425-90/4	90		78	77.5	77	76.5	76	75	73	72	70.5	69.5	68	65	63	60.5	59.5	58	55	49	



型号	功率 (kW)	H	H1	H2	HC1	HC2	BW	BL	BP	BH	OH	UL	FC	DN1	DN2	AC	总重量 (kg)
SW200/150-360-41/200-30/4	30	595	670	290	420	50	450	786	50	15	15	1188	170	200	150	498	460
SW200/150-360-36/275-37/4	37	625	670	290	420	50	450	802	50	15	15	1215	170	200	150	498	482
SW200/150-370-44/250-37/4	37	625	670	290	420	50	450	802	50	15	15	1215	170	200	150	498	482
SW200/150-370-38/325-45/4	45	625	670	290	420	50	450	827	50	15	15	1240	170	200	150	498	535
SW200/150-380-51/250-45/4	45	645	705	310	420	50	450	843.5	50	15	15	1305	211	250	200	504	535
SW200/150-380-43/350-55/4	55	675	705	310	420	50	450	885.5	50	15	15	1295	211	250	200	504	535
SW200/150-390-61/250-55/4	55	675	705	310	420	50	450	885.5	50	15	15	1295	211	250	200	504	535
SW200/150-390-48/425-75/4	75	675	705	310	420	50	450	925.5	50	15	15	1295	211	250	200	504	535
SW200/150-400-68/300-75/4	75	675	705	310	420	50	450	925.5	50	15	15	1295	211	250	200	504	535
SW200/150-400-58/425-90/4	90	675	705	310	420	50	450	976.5	50	15	15	1295	211	250	200	504	535